#### HIGH SPEED OVENS

# **XpressChef**<sup>m</sup>













PRODUCT CATALOG
INTERNATIONAL 50Hz · WINTER-SPRING 2020



# TABLE OF CONTENTS

#### CONTENTS

Alphabetical Index, Table of Contents	2
About ACP	3
Service & Support	4
$XpressChef^{\tiny M}Overview$	5
4i Series	6
3i Series	8
2c Series	10
Added Benefits, Energy Efficiency	12
Accessories	13
Series Comparison	4
Specification Comparison	15

#### ALPHABETICAL MODEL INDEX

JET514, JET514A, JET514U, JET514V	10
JET5192, JET519V2, JET5193, JET519V3	10
MRX51, MRX51A, MRX51U, MRX52, MRX523	8
MXP5221TLT, MXP5223TLT	6

#### Worth noting...

Cooking with convection and microwave technology was first introduced to the market in the 1980s as the Menumaster® Jetwave®—a name that is still synonymous with ACP, Inc.

#### WHY CHOOSE XPRESSCHEF™

ACP has a long history of creating solutions that help operators serve high quality food, faster.

Our high speed oven range has come a long way since the introduction of the Jetwave® in the 1980s. Today, ACP, Inc. is proud to offer a diverse range of high speed ovens, in a variety of footprints, capacities, and cooking technologies.

The new XpressChef<sup>™</sup> brand encapsulates the latest generation of high-speed ovens. XpressChef<sup>™</sup> ovens feature design and performance enhancements operators are sure to love.

Just like the Menumaster® and Amana® brands, XpressChef™ products offer exceptional performance and reliability, and are backed by the best service and support in the business.

#### Worth noting...

All XpressChef<sup>™</sup> ovens are compatible with the ACP Programming App.

For more information on the ACP Programming App, visit:

www.acpsolutions.com/oven-programming

#### AN ALI GROUP COMPANY

Founded in 1963 by Luciano Berti, the Ali Group is an Italian corporation with headquarters located in Milan, Italy and North American operations based in Chicago, Illinois. The company, through its subsidiaries, designs, manufactures, markets and services a broad line of commercial and institutional foodservice equipment used by major restaurant and hotel chains, independent restaurants, hospitals, schools, airports, correctional institutions and canteens.

The Ali Group and its 76 global brands employs over 10,000 people in 30 countries and, in terms of sales, is one of the world's largest groups in this industry. It has 57 manufacturing facilities in 15 countries and sales and service subsidiaries throughout Europe, North America, South America, the Middle East and Asia Pacific.

an Ali Group Company



The Spirit of Excellence

For more information on Ali Group products and services, visit: www.aligroup.com



## The One. The Only.

Located in the heartland of America, ACP, Inc is proud to be the <u>only</u> manufacturer that fabricates and assembles both high-speed ovens and microwave ovens in North America. Our ever-expanding line up of ovens fabricated & assembled in the USA includes:

- XpressChef<sup>™</sup> 2c Series
- XpressChef<sup>™</sup> 3i Series
- XpressChef<sup>™</sup> 4i Series

#### 100% COMMERCIAL. 100% ACCELERATED.

ACP is the <u>only</u> manufacturer <u>dedicated exclusively</u> to commercial microwave and high-speed ovens. With over a half-century of focused and dedicated R&D, we are the commercial experts in accelerated cooking solutions for the professional operator and chef. In 1969, ACP brought the first commercial microwave to the market. In the 1980s, the first high-speed oven. Today, with countless installations, and the best service and support in the business, ACP remains the market share leader with brands trusted by top restaurant chains around the world.

# ACCELERATED COOKING PRODUCTS

Three Brands. One Company.

ACP is the manufacturer of XpressChef<sup>™</sup> high-speed ovens, as well as Menumaster<sup>®</sup> and Amana<sup>®</sup> Commercial microwave ovens.

# Quality You Can Trust.

#### PERFORMANCE, RELIABILITY, SERVICE & SUPPORT

ACP remains a world leader in accelerated cooking equipment and solutions. For more than 50 years we've set the high standards that operators and chefs look to for the performance, reliability, service, and support they need.

#### ISO-9001:2015 CERTIFIED

From design to service, ACP has been certified with the ISO Quality mark—the most prestigious quality rating available. Our total compliance with the most rigorous quality and reliability standards ensures our products provide superior performance and value. In addition to ACP, Inc. being ISO-9001 certified, our products meet and exceed standards set by: ETL, UL, NSF, CSA, IEC and FDA/CDRH.

#### WARRANTIES

Warranty Certificates can be found online at: www.acpsolutions.com/warranty







# ComServ Support

World-class service is just a phone call away...

Whether it's service scheduling, programming instructions or technical advice, the ACP ComServ Support Center is ready to assist. ComServ is your connection to our extensive network of service providers, with decades of experience.

- Customer Support
- Service Dispatches
- Service Provider Recommendations
- Live Technical Support
- Emergency Parts Fulfillment

#### Email us:

commercialservice@acpsolutions.com

Visit us on the web: www.acpsolutions.com/service-support-center

Call us:

+1-319-368-8195



### SUPERIOR SERVICE & SUPPORT

ACP is committed to delivering accelerated cooking solutions through innovative products, quality workmanship and <u>outstanding services</u>.

# Culinary Center

Taking customer support even further

Every oven is supported by our on-staff culinary team of chefs and food scientists in our fully equipped commercial kitchen. The ACP Culinary Team provides support, including the information and assistance needed to take your menu to the next level.

- Menu development
- Cooking times

We are continually examining and testing the latest food trends and developing new recipes. These are posted on our website.

Visit us on the web: www.acpsolutions.com

Email us:

testkitchen@acpsolutions.com





#### 2c Series

#### Cooking Technologies

- Convection
- Microwave Assist

#### Ventless Options

- Available in select models

Touchpad controls

USB Connectivity Standard



#### Fast Cook Times—High-Quality Results

- Frozen 30cm (12") pizza bakes in:
  - 3:45 (1900W unit)
  - 5:00 (1400W unit)

#### 3i Series

#### Cooking Technologies

- Impingement
- Convection
- Microwave Assist

#### Ventless cooking standard

- Certified for ventless

#### True-Touch™ HD Touchscreen

Connectivity Standard







#### Fast Cook Times—High-Quality Results

- Frozen 30cm (12") pizza bakes in:
  - 2:47 (2000W unit)
  - 3:07 (1000W unit)

#### 4i Series

#### Cooking Technologies

- Impingement
- Convection
- Microwave Assist
- Infra-red radiant

#### Ventless cooking standard

- Certified for ventless

#### True-Touch™ HD Touchscreen

Connectivity Standard







#### Fast Cook Times—High-Quality Results

- Frozen 35.5cm (14") pizza bakes in 2:47



# XpressChef<sup>™</sup> 4i Series

#### HIGH SPEED OVEN

MXP5223TLT - 2000W impingement + 3000W infra-red radiant + 2200W microwave + convection; Ventless; Three Phase, 16Amp MXP5221TLT - 2000W impingement + 3000W infra-red radiant + 2200W microwave + convection; Ventless; Single Phase, 32Amp

#### **COMBINES 4 COOKING ENERGIES**



#### Impingement

- 2000W, adjustable 0-100% fan speed
- Enhances toasting and browning



#### Convection

- 95°-270°C (200°-520°F) temperature range
- Enhances browning



#### Infra-red radiant

- 3000W
- · Enhances toasting and crisping



#### Microwave Assist

- 2200W, dual side antennas
- Heats quickly, reduces cooking time



#### **CONNECTIVITY STANDARD**

WiFi, Ethernet, and USB standard.

<u>Compatible with</u> the ACP Programming App.







#### FEATURES AND BENEFITS

- · Compact exterior, large interior
  - Accommodates a 356mm (14") pizza
  - Stackable without a kit, to increase throughput and save valuable counter space
- True-Touch™ HD Touchscreen
  - Fully customizable 178mm (7") smartphone-like display
- Multi-lingual, universal operation
  - Exclusive! Supports 25 languages
  - Customizable, image-based menu eliminates language & literacy barriers
- · Certified for ventless cooking
  - Economical and flexible installation. No added HVAC expenses
- On-demand cooking
  - Prepare fresh foods with great taste and texture
  - Minimize waste. Cook food when it's ordered
- Crew-safety features
  - Exclusive! Inner door drops well below cooking surface for safe removal of food from cavity
  - Cool-to-the-touch exterior
- Easy to clean and maintain
  - Porcelain IR element cover simplifies maintenance and enhances operator safety
  - Uniquely angled oven floor for quick and easy cleaning
  - Exclusive! Non-stick oven liners preinstalled
  - Two cleanable air filters with a "clean filter" reminder
  - Gasket-free, easy-clean door seal
- Uses metal cookware
  - No special cookware needed No added expense
  - Maximum metal pan height: 38mm (11/2")

#### **GOLD STANDARD IN A FRACTION OF THE TIME**

- 1.1kg (2.5lbs) fresh veggies roast in 2:35
- Reuben panini grills in 0:37
- Frozen 356mm (14") pizza bakes in 2:47

#### **IDEAL APPLICATIONS**

- Convenience stores
- Quick service restaurants
- Healthcare
- · Hotel room service
- Stadiums
- Theaters





#### FAST COOK TIMES—HIGH-OUALITY RESULTS

rasi cook limes—nigh-qualiti resolis XpressChef™4i							
FOOD ITEM	(MXP* models)	CONVENTIONAL COOKING					
Grilled Veggies - 1.1kg (2.5lbs)	2:35	25:00					
Shrimp Skewers	1:05	4:00					
Vegetarian Flatbread	2:15	10:00					
Reuben Panini	0:37	5:00					
Salmon	2:05	30:00					
30cm (12") Pizza	2:47	20:00					
Chicken Wings	2:15	20:00					
Large Baked Potato	4:55	l hour					

#### **SAFER DROP-DOWN DOOR**

Inner door drops well below cooking surface for safe removal of food from the cavity





# XpressChef<sup>™</sup> 3i Series

#### HIGH SPEED OVEN

MRX52 - 3000W impingement + 2000W microwave (2X Mag) + convection; Ventless; Three Phase, I6Amp
MRX52 - 3000W impingement + 2000W microwave (2X Mag) + convection; Ventless; Single Phase, 32Amp
MRX51 - 3000W impingement + 1000W microwave (1X Mag) + convection; Ventless; Single Phase, I6Amp
MRX51U - 3000W impingement + 1000W microwave (1X Mag) + convection; Ventless; Single Phase; I3Amp
MRX51A - 3000W impingement + 1000W microwave (1X Mag) + convection; Ventless; Single Phase; I5Amp

Also available in colors!\*

#### COMBINES 3 COOKING ENERGIES



#### Impingement

- 3000W, with adjustable 0-100% fan speed
- Enhances toasting and browning



#### Convection

- 95°-270°C (200°-520°F) temperature range
- Enhances browning



#### Microwave Assist

- 1000W or 2000W options
- Top antenna feed
- · Heats quickly, reduces cooking time

# Trender |

Available in multiple colors!\*

True-Touch™ HD Touchscreen

#### **CONNECTIVITY STANDARD**

WiFi, Ethernet, and USB standard. Compatible with the ACP Programming App.







\*Stainless Steel (standard). Black(BL) and Red(RE) color options for door and sides. For Black(BL) and Red(RE) color models/UPC, please visit our website: www.acpsolutions.com/xpress-iq/color/

#### FEATURES AND BENEFITS

- Minimized footprint, maximized cavity design
  - Easily accommodates a 30cm (12") pizza
- True-Touch™ HD Touchscreen
  - Fully customizable, large 178mm (7") smartphone-like display
- Exclusive multi-lingual, universal operation
  - Exclusive! Supports 25 languages
  - Customizable, image-based menu eliminates language & literacy barriers
- · Certified for ventless cooking
  - Economical and flexible installation. No added HVAC expenses
- On-demand cooking
  - Prepare fresh foods with great taste and texture
  - Minimize waste. Cook food when it's ordered
- Exclusive crew-safety features
  - Exclusive! Inner door drops well below cooking surface for safe removal of food from cavity
  - Cool-to-the-touch exterior
- Easy to clean
  - Exclusive! Non-stick oven liners preinstalled
  - Quick cool-down allows for expedited end-of-day clean-up
  - Three cleanable air filters with a "clean filter" reminder
  - Gasket-free, easy-clean door seal
- Uses metal cookware
  - No special cookware needed No added expense
  - Maximum metal pan height: 38mm (11/2")

#### **ACCELERATED COOKING—GOLD STANDARD RESULTS**

- Frozen 30cm (12") pizza bakes in 2:47
- Breakfast sandwich toasts in 0:47

#### **IDEAL APPLICATIONS**

- Coffee Shops
- Bars/Pubs
- Convenience stores
- Healthcare
- Hotel room service
- Snack Bars
- Delis
- · Quick service restaurants





#### **FAST COOK TIMES—HIGH-QUALITY RESULTS**

FOOD ITEM	XpressChef <sup>™</sup> 3i (MRX52* models)	XpressChef <sup>™</sup> 3i (MRX51* models)	CONVENTIONAL COOKING
Toasted Sub	0:30	0:40	3:00
Breakfast Sandwich	0:47	0:52	20:00
Toasted Bagel	0:15	0:20	4:00
Salmon	2:05	2:40	30:00
30cm (12") Pizza	2:47	3:07	20:00
Chicken Wings	2:30	4:00	20:00
Crab Cakes	1:12	1:42	20:00
Large Baked Potato	4:55	7:45	I hour

#### **SAFER DROP-DOWN DOOR**

Inner door drops well below cooking surface for safe removal of food from the cavity





# XpressChef<sup>™</sup> 2c Series

#### HIGH SPEED BAKING OVEN

JET519V3\* - 2700W convection + 1900W microwave; Ventless; Three Phase, 16Amp

JET5193 - 2700W convection + 1900W microwave; Three Phase, 16Amp

JET519V2\* - 2700W convection + 1900W microwave; Ventless; Single Phase, 16Amp

JET5192 - 2700W convection + 1900W microwave; Single Phase, 16Amp

JET514V\* - 2700W convection + 1400W microwave; Ventless; Single Phase, 16Amp

JET514 - 2700W convection + 1400W microwave; Single Phase, 16Amp JET514U - 2700W convection + 1400W microwave; Single Phase; 13Amp JET514A - 2700W convection + 1400W microwave; Single Phase; 15Amp

#### **COMBINES 2 COOKING ENERGIES**



#### Convection

- 2700W
- 95°-250°C (200°-475°F) temperature range
- Enhances toasting and browning



#### Microwave Assist

- 1400W or 1900W option
- Top antenna feed



#### **USB CONNECTIVITY STANDARD**

Update programming in seconds with USB flash drive. Compatible with the ACP Programming App.



#### FEATURES AND BENEFITS

- Compact and stackable
  - Accommodates 30cm (12") pizza
  - Stackable without a kit, to increase throughput and save valuable counter space
- New! HD advanced controller
  - 7cm (2.8") full color LCD HD display
  - New user interface. Multi-lingual— supports 20 languages
- Flexible cooking platform
  - Use any combination of convection and microwave energy
  - Microwave only mode available
- On-demand cooking
  - Prepare fresh foods with great taste and texture
  - Minimize waste. Cook food when it's ordered
- Uses metal cookware
  - No special cookware needed No added expense
  - Maximum metal pan height: 38mm (11/2")
- \*Ventless Options
  - 'V' models available with catalytic converters (JET514V, JET519V2, JET519V3)

#### THE BEST VALUE IN A HIGH SPEED BAKING OVEN

- Tray of cinnamon rolls bake from scratch in 4:00
- Ham and cheese sandwich heats in 1:10

#### **IDEAL APPLICATIONS**

- Cafés
- Bars & Grills
- Supermarkets
- Kiosks
- · Pubs and wine bars





#### **FAST BAKING TIMES—HIGH-QUALITY RESULTS**

FOOD ITEM	XpressChef <sup>™</sup> 2c (JET519* models)	XpressChef <sup>™</sup> 2c (JET514* models)	CONVENTIONAL COOKING	
Cinnamon Rolls (5)	4:00	4:00	29:00	
Lava Cake	1:30	1:30	17:00	
Chicken Pot Pie	2:55	3:55	48:00	
Scones	3:05	3:40	15:00	
Baked Brie	3:30	4:00	8:00	
Artichoke Dip	2:05	2:15	15:00	
30cm (12") Pizza	3:45	5:00	20:00	
Large Baked Potato	5:25	6:45	l hour	

#### **OPTIONAL MAGNETIC AIR FILTER ACCESSORY**

Removable/cleanable magnetic air filter. Enhances filtering of fine particulates that may be in the air with select installations/applications. (Accessory Item# AFI0)





# TURN A SMALL AREA INTO A HIGH PRODUCTION KITCHEN

- Flexible cooking platform adapts for endless possibilities
  - All cooking energies are adjustable
  - Increases menu options
- · Cuts energy costs
  - Eliminates need for pre-cooking and holding
  - No need for costly ventilation
- Fast Cook Times—High-Quality Results
  - Gold standard results in a fraction of the time
  - Turn More Tables. Increase Revenue and Profits

#### XpressChef<sup>™</sup> Cooktime Comparisons

	CONVENTIONAL	4i Series	3i Series		2c Series		
FOOD ITEM	COOKING	MXP*	MRX52*	MRX51*	JET519*	JET514*	
Pizza 30cm (12")	20:00	2:47	2:47	3:07	3:45	5:00	
Chicken Wings	20:00	2:15	2:30	4:00	2:35	3:15	
Crab Cakes	20:00	1:12	1:12	1:42	2:30	3:40	
Large Baked Potato	I hour	4:55	4:55	7:45	5:25	6:45	



#### **ENERGY EFFICIENT BY DESIGN**

XpressChef<sup>™</sup> High Speed ovens combine microwave energy with other proven cooking technologies, offering energy savings over traditional equipment

With cooking speeds of up to 15 times faster than conventional methods, operators can cook more in less time while using less energy.

Plus there's no need for costly ventilation!

#### Parameters are:

- Energy costs: \$0.11 kWh\*
- Cook cycles per day: 100 cook cycles
- Typical cook times: 60 seconds

#### Energy Costs by Wattage and Power Consumption...

SERIES	OVEN MODELS	POWER CONSUMPTION	COST PER DAY (USD)
2c	JET514/V	3,200 Watts	\$1.25
20	JET519/V*	5,300 Watts	\$1.49
3i	MRX51	3,600 Watts	\$1.68
31	MRX52/523	5,950 Watts	\$1.82
4i	MXP5221TLT/ MXP5223TLT	5,700 Watts	\$2.67

\*Energy cost estimate is based on the U.S. Energy Information Administration Independent Statistics and Analysis Report for commercial energy usage.



# FOR XPRESSCHEF™ HIGH SPEED OVENS

#### COMPATIBLE OVEN SERIES

PIZZA STONE Ads in orisping and browning breads and pizzas  STIOR  X  STIOR  STIOR  X  STIOR  X  STIOR  STIOR  X  STIOR  RGRI0  X  STIOR  RGRI0  X  STIOR  STIOR  RGRI0  X  STIOR  STIOR  STIOR  RGRI0  X  STIOR  STIOR  STIOR  RGRI0  X  STIOR  STIOR  STIOR  STIOR  RGRI0  X  STIOR  STIO		2EKIE2
Adds in crisping and browning breach and pizzas    STIOR	DESCRIPTIO	4i DIMENSIONS (H X W X D)
STIOR  STIOX  STIOX  PANINI GRILL PLATE Provides distinctive grill marks (same as a panini grill)  PANINI PRESS  Creates pressed panini marks on sandwiches  PRSIOR  OVEN PADDLE Helps remove food & coolware from oven - Granguer Fill Plants under 3 Series owns with installed (G/O lieg kit (purchased separately))  LEG KITS LEG KITS LIFT coven 102 mm (4 inches)  NON-STICK LINER KIT Make cleanup easier and protect oven components  TLI2  MAGNETIC AIR FILTER Removabile clearable magnetic air filter. Enhances filtering of fine particulates that may be in the air with select installations/applications  PANINI PRESS  OVEN RACK Stainless steel interior oven rack  DIFF TRAY/ GRIDDLE Plants oven 102 mm (4 inches)  MAGNETIC AIR FILTER Removabile clearable magnetic air filter. Enhances filtering of fine particulates that may be in the air with select installations/applications  OVEN RACK Stainless steel interior oven rack  DIFF TRAY/ GRIDDLE Plants oven 102 mm (4 inches)  MILITER RACK  OVEN RACK Stainless steel interior oven rack  DIFF TRAY/ GRIDDLE Plants oven 102 mm (4 inches)  MILITER RACK  OVEN RACK Stainless steel interior oven rack  BELOR  SQUARE METAL PAN Aluminum pan Makes cleanup easier  COOK PLATE SHELF Aldows accessory storage on oven top  STACKING CART  Stainless steel top, aluminum frame, and casters  CA24  X X X 610 x 66 X 121 x 59 X 124 x 59 X 124 x 50 X 125 x 50 X 126 x 60 X 127 x 60		13 × 289 × 337mm (½× 11-¾× 13-¼in)
PANINI GRILL PLATE Provides districtive grill marks (same as a panini grill)  PANINI PRESS  Creates pressed panini marks on sandwiches  PANINI PRESS  Creates pressed panini marks on sandwiches  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANINI PRESS  Creates pressed panini marks on sandwiches  PRIOR  PANIOR  PAN		13 × 279 × 279mm (½× 11× 11in)
Provides distinctive grill marks (same as a panini grill)  RGRIO X (215x-12  RGRIO X		X   13 x 368 x 368mm (½x 14-½x 14-½in)
PANINI PRESS Creates pressed panini marks on sandwiches PRS10R  Creates pressed panini marks on sandwiches PRS10R  Creates pressed panini marks on sandwiches PRS10R  VX 178 x 302 VX 129 x 300 VX 129 x 300 VX 129 x 108 VX 129 X 129		5 × 318 × 310mm (.215× 12-½× 12-1/5in)
PANINI PRESS Creates pressed panini marks on sandwiches PRS10 PRS1		5 × 306 × 299 mm (.2× 12.05× 11.78in)
Creates pressed panini marks on sandwiches  PRS10  V 29 x 300  PRS10  V 29 x 300  V 29 x 108  PRS10  V 29 x 300  V 118  OVEN PADDLE  Helps remove food & coolware from oven - Compact PAI (08 stores under 3) Series ovens with installed LG (10 leg kit) - Compact PAI (08 stores under 3) Series ovens with installed LG (10 leg kit) - Compact PAI (08 stores under 3) Series ovens with installed LG (10 leg kit) - PAI (10 X X 38 x 191; - LEG KITS  LEG KITS  Lifts oven 102 mm (4 inches)  LG10  NON-STICK LINER KIT  Make cleanup easier and protect oven components  TL12  X sides, doo  TL10  X sides, doo  V 10 X sides, doo  TL10  X s		X 5 × 327 × 356mm (.215×12-7/s×14in)
OVEN PADDLE Helps remove food & cookware from oven - Compact PAI (0R stores under 31 Series ovens with installed LG 10 leg kit gurchised separately)  LEG KITS Lifts oven 102 mm (4-inches) LEG KITS Lifts oven 102 mm (4-inches)  NON-STICK LINER KIT Make cleanup easier and protect oven components TL12  MAGNETIC AIR FILTER Removable/cleanable magnetic air filter. Enhances filtering of fine particulates that may be in the air with select installations/applications  OVEN FLOOR LINER Make cleanup easier OVIO X  Stainless steel interior oven rack RA14  DRIP TRAY/ GRIDDLE Makes clean-up easier. Aids in crisping and browning  DRIO X  226 x 3271.  Aluminum pan. Makes clean-up easier COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  CP10  STACKING CART Stainless Steel for open platform, front-of-house BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house STACKING CART Stainless steel top, aluminum frame, and casters  CA24  WESH NON-STICK BASKETS  NBIO  W 25 x 336.  NBIO  W 25 x 3371.  TBIO X  Z 27 x 1322.		178 × 305 × 308mm (7× 12× 12-1/4 in)
Helps remove food & cookware from oven - Compact PA10 x x x x 2,024x20 - Compact PA10 x stores under 3i Series ovens with installed LG10 leg kit (putchosed separately)  LEG KITS Lifts oven 102 mm (4 inches)  NON-STICK LINER KIT Make cleanup easier and protect oven components  TL12 x sides, doo TL10		X 229 × 300 × 306mm (9× 11.81× 12.05in)
- Compact PALOR stores under 3i Series ovens with installed LG 10 leg kit (purchased separately)  LEG KITS Lifts oven 102 mm (4 inches)  LG10		X 64 × 508 × 302mm (2-½× 20× 11-7/8in)
Lifts oven 102 mm (4 inches)  NON-STICK LINER KIT Make cleanup easier and protect oven components  TLI0  X  Sides, doo  TLI0  X  Sides  AFI0  X  Sides	· Compact	X 38 × 191 × 45 lmm (1-½x 7-½x 17-¾in)
NON-STICK LINER KIT Make cleanup easier and protect oven components  TILI2 X sides, doo TILI0 X sides, doo T		¥ 102 mm
TLIOR X sides, doo  TLIO X sides, doo  Top Stark In Tlio X sides, doo  TLIO X sides, doo  TLIO X sides, doo  TLIO X sides, doo  Top Stark In Tl	NON-ST	sides, door
MAGNETIC AIR FILTER Removable/cleanable magnetic air filter. Enhances filtering of fine particulates that may be in the air with select installations/applications  OVEN FLOOR LINER Make cleanup easier  OVIO X  OYEN RACK Stainless steel interior oven rack  DRIP TRAY/ GRIDDLE Makes clean-up easier. Aids in crisping and browning  DRIO X  SQUARE METAL PAN Aluminum pan. Makes clean-up easier  COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  MESH NON-STICK BASKETS Ideal cooking surface, makes cleanup easier  NBIO X  AF10 X  47×430: (1-½x 12-½x  26×327: (1×12-½x)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  30×314: (1,19×12-2)  31×328: (1,19×12-2)  31×319: (2,10×319: (2	I*lake clea	sides, door, base
Removable/cleanable magnetic air filter. Enhances filtering of fine particulates that may be in the air with select installations/applications  OVEN FLOOR LINER Make cleanup easier  OVEN RACK Stainless steel interior oven rack  DRIP TRAY/ GRIDDLE Makes clean-up easier. Aids in crisping and browning  SQUARE METAL PAN Aluminum pan. Makes clean-up easier  COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  REQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  MESH NON-STICK BASKETS Ideal Cooking surface, makes cleanup easier  NB10, 7B10, SB10: mesh bottom, 2EA  TB10 X 29 × 356:  SOLID NON-STICK BASKETS  ONID NON-STICK BASKETS  ONID X 29 × 356:  ONID X 29 × 356		X sides, door, base, back
Make cleanup easier  OVEN RACK Stainless steel interior oven rack  OVEN RACK Stainless steel interior oven rack  DRIP TRAY/ GRIDDLE Makes clean-up easier. Aids in crisping and browning  SQUARE METAL PAN Aluminum pan. Makes clean-up easier  COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  COOK PLATE SHELF Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  SCIOR  EQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  MESH NON-STICK BASKETS Ideal cooking surface, makes cleanup easier  NB10  X 22 × 25 × 257: (Ix 10-½  SB10  X 22 × 25 × 257: (Ix 10-½  SB10  X 22 × 25 × 257: (Ix 10-½  SB10  X 22 × 356: (%x 6x 12-½  SOLID NON-STICK BASKETS	Removabl	47 × 430 × 6mm (1-7/6 × 16-3/4 × 1/4in)
OVEN RACK Stainless steel interior oven rack  DRIP TRAY/ GRIDDLE Makes clean-up easier. Aids in crisping and browning  SQUARE METAL PAN Aluminum pan. Makes clean-up easier  COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  CP10  BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  FQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  MESH NON-STICK BASKETS Ideal cooking surface, makes cleanup easier  NB10  NB10  X 26 × 327 · (1× 12 - ½ x) 25 × 267 · (1× 12 - ½ x) 26 × 307 · (1× 12 - ½ x) 26 × 307 · (1× 12 - ½ x) 27 × 371 · (1× 12 - ½ x) 28 × 311 · (1× 13 - ½ x) 29 × 356 · (1× 12 - ½ x) 38 × 30 · (1-½ x) 39 × 30 · (1-½ x) 30 × 30 × 30 · (1-½ x) 30 ×		13 × 318 × 368mm (½× 12-½× 14-½in)
DRIP TRAY/ GRIDDLE Makes clean-up easier. Aids in crisping and browning  SQUARE METAL PAN Aluminum pan. Makes clean-up easier  COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  CPI0  BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  EQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  CA24  MESH NON-STICK BASKETS Ideal cooking surface, makes cleanup easier  NB10  NB10  X  20 × 33 × 30 × 30 × 30 × 30 × 30 × 30 ×	OVEN R	26 × 327 × 365mm (1× 12-7/x 14-3/in)
SQUARE METAL PAN Aluminum pan. Makes clean-up easier  COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  CP10  BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  SCIOR  CA24  X  CA24  X  CA24  X  CA30  X  CA30  X  CA30  X  CA30  X  CA30  X  CA30  CA	DRIP TE	30 × 314 × 347mm (1.19× 12.38× 13-⅔in)
COOK PLATE SHELF Aids in browning and crisping of breads, pizzas, and more  CP10 X 38 x 305; (1-½x 12)  BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  FQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  CA24 X X X 610 x 660 (24x 26x 26x 26x 26x 26x 26x 26x 26x 26x 26	SQUARI	X 25 × 37 l × 37 l mm (l × 14-5/x 14-5/in)
BACK COVER PANEL Hides cord, vents & labels for open platform, front-of-house installation  TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  EQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  CA24 X X C105 x 20 (41-3/x 20 x 20	СООК Р	38 × 305 × 299mm (1-½× 12× 11-¾in)
TOP STORAGE SHELF Allows accessory storage on oven top  STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  EQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  CA24 X X CH24x26x  CA30 X X CH24x26x  MESH NON-STICK BASKETS Ideal cooking surface, makes cleanup easier  NB10 X CH24x26x  TB10 X CH24x26x  TB10 X CH26x26x  SB10 X CH26x26x	BACK C Hides con	521 × 359 × 35mm (20-½× 14-½× 1-¾in)
STACKING CART Stainless steel cart for stacking 2 ovens, with accessory shelf below  EQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  CA24 X X X 610 × 660 (24x 26x 762 × 660 (30x 26x 762	TOP ST	51 × 328 × 635mm (2× 12.9× 25in)
EQUIPMENT CARTS Stainless steel top, aluminum frame, and casters  CA24 X X X 610 × 660 (24x 26x 600 (30x 26x 40x 40x 40x 40x 40x 40x 40x 40x 40x 40	STACKI	1051 × 521 × 762mm (41-3/x 20-1/x 30in)
CA30 X X X 762 x 660 (30 x 26 x X	EQUIPM	610 v 660 v 660 mm
MESH NON-STICK BASKETS         NBIO         X         25 x 343 x (1x 13-½x 25 x 343 x (1x 13-½x 25 x 343 x (1x 13-½x 25 x 343 x 25 x 2	Stairliess s	762 × 660 × 660 mm
**NB10, TB10, SB10: mesh bottom, 2EA  **TB10 X		25 v 242 v 292mm
SBIO X X 22×152; (%x 6x 12)  SOLID NON-STICK BASKETS  OBIO X 29×356;		25 v 257 v 205 mm
SOLID NON-STICK BASKETS  OBIO  y 29 × 3565		22 v 152 v 200 mm
ideal cooking surface, makes cleanup easier (1-78X 14)		20 × 25/ × 25/ 2000
· OB10: solid bottom, IEA	• OB I 0: so	25 × 279 × 279mm
SPLOS V V 22×140:	7 0 0, 01	22 × 140 × 279mm
MB105 V V 22×140:		22 v 140 v 140mm
CLEANING SOLUTIONS  CLIOW** X X 6 one-liter		Canalitan battles aven elec
PRIOW** X X 6 one-liter	(NOI)-Caus	6 and liter bottles oven ship

# SERIES COMPARISONS











2c Series

3i Series

4i Series

		20 001 100	31 331 133	11 001100			
	TEMPERATURE RANGE	95°- 250°C (200°- 475°F)	95°-270°C (200°-520°F)	95°-270°C (200°-520°F)			
₽ 0	MICROWAVE DISTRIBUTION	Rotating antennas, top	Rotating antennas, top	Double side oscillating antenna			
ROG	PROGRAMMING	USB port	USB port, Wi-Fi, Ethernet	USB port, Wi-Fi, Ethernet			
RAY	CONTROL TOUCH PADS	10	N/A	N/A			
COOKING AND PROGRAMMING	PROGRAMMABLE SETTINGS	100	1200+	1200+			
© ∩	POWER LEVELS	II	H	II			
	STAGE COOKING	Yes, 4	Yes, 4	Yes, 4			
STAI	DISPLAY	71mm (2.8") Color LCD	178mm (7") True-Touch™ HD Capacitive Touchscreen, Color LCD	178mm (7") True-Touch™ HD Capacitive Touchscreen, Color LCD			
STANDARD CHASIS FEATURES	AIR FILTER	(1) Non-removable with cleaning reminder**	(3) Removable with cleaning reminder	(2) Removable with cleaning reminder			
9	NON-STICK LINERS INSTALLED	No‡	Yes	Yes			
IASIS	RACK	2 rack positions, I removable rack	Removable cooking surface	I rack position, I removable rack			
FE A:	INTERIOR / EXTERIOR FINISH	Stainless Steel/ Stainless Steel	Stainless Steel/ Stainless Steel	Stainless Steel/ Stainless Steel			
TURI	STACKABLE	Yes	Yes, with cart	Yes			
S	DOOR OPENING	Lift & Pull	Pull down, ergonomic handle	Pull down, ergonomic handle			
	USABLE CAVITY SPACE	34 L (1.2 cubic ft.)	17.2 L (0.61 cubic ft.)	39 L (1.38 cubic ft.)			
DIMENSIONS	CAVITY DIMENSIONS	H: 267mm (10½") W: 330mm (13") D: 381mm (15")	H: 178mm (7") W: 312mm (12 1/4") D: 312mm (12 1/4")	H: 254mm (10") W: 406mm (16") D: 381mm (15")			
	EXTERIOR DIMENSIONS	H: 461mm (181/s") W: 490mm (191/s") D***: 671mm (261/s")	H: 578mm (22 ¾") W: 358mm (14 ½") D***: 743mm (29 ¼")	H: 518mm (20¾") W: 638mm (25½") D***: 705mm (27¾")			
	SHIPPING CARTON DIMENSIONS	H: 546mm (21 ½") W: 540mm (21 ¼") D: 756mm (29 ¾)	H: 677mm (26 %") W: 584mm (23") D: 883mm (34 ¾")	H: 662mm (24½") W: 879mm (34¾") D: 828mm (32¾")			

Measurements are in millimeters. Measurements in ( ) are US Standard, unless stated otherwise.



ACP's commitment to quality may mean a change in specification without notice.

Visit our website for more information: www.acpsolutions.com

<sup>\*\*</sup> Removable magnetic air filter accessory available (#AF10)

<sup>\*\*\*</sup> Includes handle

<sup>‡</sup> Accessory available for purchase separately

# SPECIFICATION COMPARISON

#### XPRESSCHEF™ HIGH SPEED OVENS

Ser	ries	MODEL / UPC CODE	COOKING POWER	CATALYTIC CONVERTER	MAX. COOK TIME	POWER Consumption	POWER SOURCE	PLUG TY	YPE	WEIGHT PROD./SHIP	SAFETY LISTING	SANITATION Listing
4		<b>MXP5223TLT</b> 728028422634	3000 W -Infra-red Radiant 2200 W**-Microwave 2000 W -Impingement	Yes <sup>†</sup>	99:99	5800W,27.4A	400V, 50Hz, WYE, 16A, 3phase, 5wire	IEC 309		68/79kg (150/175lbs)	CE	Intertek
4		<b>MXP5221TLT</b> 728028422580	3000 W -Infra-red Radiant 2200 W**-Microwave 2000 W -Impingement	Yes <sup>†</sup>	99:99	5800W,27.4A	230-240V, 50Hz, 32A, single phase	IEC 309		68/79kg (150/175lbs)	C€	Intertek
3		<b>MRX523*</b> 728028422900*	3000 W -Impingement 2000 W**-Microwave	Yes <sup>†</sup>	99:99	5950W,16A	400V, 50Hz, WYE, 16A, 3phase, 5wire	IEC 309		61/69kg (134/152lbs)	CE	Intertek
3		MRX52* 728028422887*	3000 W -Impingement 2000 W**-Microwave	Yes <sup>†</sup>	99:99	5950W,28.6A	230-240V, 50Hz, 32A, single phase	IEC 309		61/69kg (134/152lbs)	CE	Intertek
3		MRX51* 728028422863*	3000 W -Impingement 1000 W**-Microwave	Yes <sup>†</sup>	99:99	3680W,16A	230-240V, 50Hz, 16A, single phase	CEE 7/7 "Schuko"	(g)	53/61kg (116/134lbs)	CE	Intertek
3		<b>MRX51U*</b> 728028423006*	3000 W -Impingement 1000 W**-Microwave	Yes <sup>†</sup>	99:99	2450W,13A	230-240V, 50Hz, 13A, single phase	BS1363A		53/61kg (116/134lbs)	CE	Intertek
3		<b>MRX51A*</b> 728028423044*	3000 W -Impingement 1000 W**-Microwave	Yes <sup>†</sup>	99:99	3250W,15A	230-240V, 50Hz, I5A, single phase	Type I Australia	(1)	53/61kg (116/134lbs)		Intertek
2		<b>JET5 19V3</b> 728028376869	2700 W -Convection 1900 W**-Microwave	Yes <sup>†</sup>	16:00	6200W,14A	400V, 50Hz, 16A, 3phase, 5wire	IEC 309		51/53kg (112/116lbs)	CE	Intertek
2		<b>JET5193</b> 728028376852	2700 W -Convection 1900 W**-Microwave	No	16:00	6200W,14A	400V, 50Hz, 16A, 3phase, 5wire	IEC 309		50/52kg (111/115lbs)	CE	Intertek
2		<b>JET519V2</b> 728028244779	2700 W -Convection 1900 W**-Microwave	Yes <sup>†</sup>	16:00	3100W,14A	230-240V, 50Hz, 16A, single phase	CEE 7/7 "Schuko"	(a)	51/53kg (112/116lbs)	CE	Intertek
2		<b>JET5   92</b> 728028244762	2700 W -Convection 1900 W**-Microwave	No	16:00	3100W,14A	230-240V, 50Hz, 16A, single phase	CEE 7/7 "Schuko"	(g)	50/52kg (111/115lbs)	CE	Intertek
2		<b>JET514V</b> 728028244748	2700 W -Convection I 400 W**-Microwave	Yes <sup>†</sup>	20:00	2900W,13A	230-240V, 50Hz, 16A, single phase	CEE 7/7 "Schuko"	(g)	51/53kg (112/116lbs)	CE	Intertek
2		<b>JET5   4</b> 72802824473	2700 W -Convection I 400 W**-Microwave	No	20:00	2900W,13A	230-240V, 50Hz, 16A, single phase	CEE 7/7 "Schuko"	(B)	50/52kg (111/115lbs)	CE	Intertek
2		<b>JET514U</b> 728028244755	2700 W -Convection 1400 W**-Microwave	No	20:00	2400W, I I A	230-240V, 50Hz, 13A, single phase	BS1363A		50/52kg (111/115lbs)	CE	Intertek
2		<b>JET5 I 4A</b> 728028244755	2700W -Convection I400W**-Microwave	No	20:00	2900W, I3A	230V, 50Hz, I5A, single phase	Type I Australia	$\bigcirc$	50/52kg (111/115lbs)		Intertek



For information on our complete line of products, please visit: www.acpsolutions.com

\*\* IEC 60705 Tested

<sup>†</sup> Catalytic converter filters grease and odors from the air. This product conforms to the Ventless Operation Recommendations set forth by NFPA96 using EPA202 test method



<sup>\*</sup> Available in multiple colors. Stainless Steel (standard) model and UPC shown.
For Black(BL) and Red(RE) color models/UPC, please visit our website: www.acpsolutions.com/xpress-iq/color/

#### XPRESSCHEF™ HIGH SPEED OVENS



For information on our complete line of products, visit: www.acpsolutions.com



225 49th Ave. Dr. SW, Cedar Rapids, IA 52404, U.S.A.

Phone: I-800-233-2366, I-319-368-8120

Fax: 1-319-368-8198 orders@acpsolutions.com www.acpsolutions.com

Y

Follow us on Twitter twitter.com/ACP\_Inc



Follow us on Facebook facebook.com/ACPInc

an Ali Group Company



The Spirit of Excellence

ACP, Inc., without prior notification, reserves the right to make changes and revisions in product specification, design and materials. © 2020 ACP, Inc.. All rights reserved.